

WEST Search History

DATE: Tuesday, August 22, 2006

Hide?	Set Name	Query	Hit Count
		<i>DB=DWPI; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L13	HCMV and T cell	33
		<i>DB=USPT; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L12	L6 and diagnostic.clm.	30
<input type="checkbox"/>	L11	L6 and diagnostic	808
<input type="checkbox"/>	L10	L6 and T cell bind?	1
<input type="checkbox"/>	L9	L6 T cell bind?	0
<input type="checkbox"/>	L8	L6 T cell binding	0
<input type="checkbox"/>	L7	L6 and T cells	782
<input type="checkbox"/>	L6	HCMV	1622
<input type="checkbox"/>	L5	human cytomegalovirus	3939
<input type="checkbox"/>	L4	Diamond Don.in.	12
<input type="checkbox"/>	L3	Diamond Don J.in.	9
<input type="checkbox"/>	L2	6562345	6
<input type="checkbox"/>	L1	6733973	2

END OF SEARCH HISTORY



A service of the National Library of Medicine
and the National Institutes of Health

My NCBI

[\[Sign In\]](#) [\[Regis\]](#)

All Databases

PubMed

Nucleotide

Protein

Genome

Structure

OMIM

PMC

Journals

Book

Search for

Limits

Preview/Index

History

Clipboard

Details

Display Show Sort by Send to

About Entrez

Text Version

All: 135 Review: 10

Items 1 - 20 of 135

Page of 7 Next

Entrez PubMed

Overview

Help | FAQ

Tutorials

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

Special Queries

LinkOut

My NCBI

Related Resources

Order Documents

NLM Mobile

NLM Catalog

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

- ☐ 1: [La Rosa C, Wang Z, Lacey SF, Lalimarmo MM, Krishnan A, Longmate J, Diamond DJ.](#) [Related Articles, Links](#)

In vitro expansion of polyclonal T-cell subsets for adoptive immunotherapy by recombinant modified vaccinia Ankara. *Exp Hematol.* 2006 Apr;34(4):497-507. PMID: 16569596 [PubMed - indexed for MEDLINE]

- ☐ 2: [Rauser G, Einsele H, Sinzger C, Wernet D, Kuntz G, Assenmacher M, Campbell JD, Topp MS.](#) [Related Articles, Links](#)

Rapid generation of combined CMV-specific CD4+ and CD8+ T-cell lines for adoptive transfer into recipients of allogeneic stem cell transplants. *Blood.* 2004 May 1;103(9):3565-72. Epub 2003 Dec 11. PMID: 14670917 [PubMed - indexed for MEDLINE]

- ☐ 3: [Wang Z, La Rosa C, Mekhoubad S, Lacey SF, Villacres MC, Markel S, Longmate J, Ellenhorn JD, Siliciano RF, Buck C, Britt WJ, Diamond DJ.](#) [Related Articles, Links](#)

Attenuated poxviruses generate clinically relevant frequencies of CMV-specific T cells. *Blood.* 2004 Aug 1;104(3):847-56. Epub 2004 Apr 15. PMID: 15090456 [PubMed - indexed for MEDLINE]

- ☐ 4: [Wang Z, La Rosa C, Lacey SF, Maas R, Mekhoubad S, Britt WJ, Diamond DJ.](#) [Related Articles, Links](#)

Attenuated poxvirus expressing three immunodominant CMV antigens as a vaccine strategy for CMV infection. *J Clin Virol.* 2006 Mar;35(3):324-31. Epub 2006 Jan 4. PMID: 16388983 [PubMed - indexed for MEDLINE]

- ☐ 5: [Feuchtinger T, Lang P, Hamprecht K, Schumm M, Greil J, Jahn G, Niethammer D, Einsele H.](#) [Related Articles, Links](#)

Isolation and expansion of human adenovirus-specific CD4+ and CD8+ T cells according to IFN-gamma secretion for adjuvant immunotherapy. *Exp Hematol.* 2004 Mar;32(3):282-9. PMID: 15003314 [PubMed - indexed for MEDLINE]

- ☐ 6: [Wiesner M, Zentz C, Hammer MH, Cobbold M, Kern F, Kolb HJ, Hammerschmidt W, Zeidler R, Moosmann A.](#) [Related Articles, Links](#)

Selection of CMV-specific CD8+ and CD4+ T cells by mini-EBV-transformed B cell lines. *Eur J Immunol.* 2005 Jul;35(7):2110-21.

PMID: 15971271 [PubMed - indexed for MEDLINE]

☐ 7: [Peggs KS, Mackinnon S.](#)

[Related Articles, Links](#)



Augmentation of virus-specific immunity after hematopoietic stem cell transplantation by adoptive T-cell therapy.

Hum Immunol. 2004 May;65(5):550-7.

PMID: 15172456 [PubMed - indexed for MEDLINE]

☐ 8: [Lacey SF, Gallez-Hawkins G, Crooks M, Martinez J, Senitzer D, Forman SJ, Spielberger R, Zaia JA, Diamond DJ.](#)

[Related Articles, Links](#)



Characterization of cytotoxic function of CMV-pp65-specific CD8+ T-lymphocytes identified by HLA tetramers in recipients and donors of stem-cell transplants.

Transplantation. 2002 Sep 15;74(5):722-32.

PMID: 12352893 [PubMed - indexed for MEDLINE]

☐ 9: [Barbui AM, Borleri G, Conti E, Ciocca A, Salvi A, Mico C, Introna M, Rambaldi A.](#)

[Related Articles, Links](#)



Clinical grade expansion of CD45RA, CD45RO, and CD62L-positive T-cell lines from HLA-compatible donors: high cytotoxic potential against AML and ALL cells.

Exp Hematol. 2006 Apr;34(4):475-85.

PMID: 16569594 [PubMed - indexed for MEDLINE]

☐ 10: [Vaz-Santiago J, Lule J, Rohrlich P, Jacquier C, Gibert N, Le Roy E, Betheder D, Davignon JL, Davrinche C.](#)

[Related Articles, Links](#)



Ex vivo stimulation and expansion of both CD4(+) and CD8(+) T cells from peripheral blood mononuclear cells of human cytomegalovirus-seropositive blood donors by using a soluble recombinant chimeric protein, IE1-pp65.

J Virol. 2001 Sep;75(17):7840-7.

PMID: 11483727 [PubMed - indexed for MEDLINE]

☐ 11: [Foster AE, Gottlieb DJ, Sartor M, Hertzberg MS, Bradstock KF.](#)

[Related Articles, Links](#)



Cytomegalovirus-specific CD4+ and CD8+ T-cells follow a similar reconstitution pattern after allogeneic stem cell transplantation.

Biol Blood Marrow Transplant. 2002;8(9):501-11.

PMID: 12374455 [PubMed - indexed for MEDLINE]

☐ 12: [Peggs KS, Verfuert S, Pizzey A, Khan N, Guiver M, Moss PA, Mackinnon S.](#)

[Related Articles, Links](#)



Adoptive cellular therapy for early cytomegalovirus infection after allogeneic stem-cell transplantation with virus-specific T-cell lines.

Lancet. 2003 Oct 25;362(9393):1375-7.

PMID: 14585640 [PubMed - indexed for MEDLINE]

☐ 13: [Feder-Mengus C, Schultz-Thater E, Oertli D, Marti WR, Heberer M, Spagnoli GC, Zajac P.](#)

[Related Articles, Links](#)










Nonreplicating recombinant vaccinia virus expressing CD40 ligand enhances APC capacity to stimulate specific CD4+ and CD8+ T cell responses.

Hum Gene Ther. 2005 Mar;16(3):348-60.

PMID: 15812230 [PubMed - indexed for MEDLINE]

☐ 14: [Villacres MC, Lacey SF, La Rosa C, Krishnan R, Auge C, Longmate J, Zaia JA, Leedom JM, Diamond DJ.](#)

[Related Articles, Links](#)

-  Human immunodeficiency virus-infected patients receiving highly active antiretroviral therapy maintain activated CD8+ T cell subsets as a strong adaptive immune response to cytomegalovirus.
J Infect Dis. 2001 Aug 1;184(3):256-67. Epub 2001 Jul 10.
PMID: 11443550 [PubMed - indexed for MEDLINE]
- ☐ 15: [Lucas KG, Sun Q, Burton RL, Tilden A, Vaughan WP, Carabasi M, Salzman D, Ship A.](#) [Related Articles](#), [Links](#)
 A phase I-II trial to examine the toxicity of CMV- and EBV-specific cytotoxic T lymphocytes when used for prophylaxis against EBV and CMV disease in recipients of CD34-selected/T cell-depleted stem cell transplants.
Hum Gene Ther. 2000 Jul 1;11(10):1453-63.
PMID: 10910142 [PubMed - indexed for MEDLINE]
- ☐ 16: [Einsele H, Rauser G, Grigoleit U, Hebart H, Sinzger C, Riegler S, Jahn G.](#) [Related Articles](#), [Links](#)
 Induction of CMV-specific T-cell lines using Ag-presenting cells pulsed with CMV protein or peptide.
Cytotherapy. 2002;4(1):49-54.
PMID: 11953041 [PubMed - indexed for MEDLINE]
- ☐ 17: [Bronke C, Palmer NM, Jansen CA, Westerlaken GH, Polstra AM, Reiss P, Bakker M, Miedema F, Tesselaar K, van Baarle D.](#) [Related Articles](#), [Links](#)
 Dynamics of cytomegalovirus (CMV)-specific T cells in HIV-1-infected individuals progressing to AIDS with CMV end-organ disease.
J Infect Dis. 2005 Mar 15;191(6):873-80. Epub 2005 Jan 31.
PMID: 15717261 [PubMed - indexed for MEDLINE]
- ☐ 18: [Trivedi D, Williams RY, O'Reilly RJ, Koehne G.](#) [Related Articles](#), [Links](#)
 Generation of CMV-specific T lymphocytes using protein-spanning pools of pp65-derived overlapping pentadecapeptides for adoptive immunotherapy.
Blood. 2005 Apr 1;105(7):2793-801. Epub 2004 Oct 28.
PMID: 15514011 [PubMed - indexed for MEDLINE]
- ☐ 19: [Ozdemir E, St John LS, Gillespie G, Rowland-Jones S, Champlin RE, Mollrem JJ, Komanduri KV.](#) [Related Articles](#), [Links](#)
 Cytomegalovirus reactivation following allogeneic stem cell transplantation is associated with the presence of dysfunctional antigen-specific CD8+ T cells.
Blood. 2002 Nov 15;100(10):3690-7. Epub 2002 Jul 5.
PMID: 12393402 [PubMed - indexed for MEDLINE]
- ☐ 20: [Waldman WJ, Knight DA, Adams PW, Orosz CG, Sedmak DD.](#) [Related Articles](#), [Links](#)
 In vitro induction of endothelial HLA class II antigen expression by cytomegalovirus-activated CD4+ T cells.
Transplantation. 1993 Dec;56(6):1504-12.
PMID: 7904091 [PubMed - indexed for MEDLINE]

Items 1 - 20 of 135

Page 1 of 7 Next

Display ☐ Summary ☒ Show 20 ☒ Sort by ☐ Send to ☒

[Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)

Department of Health & Human Services
Privacy Statement | Freedom of Information Act | Disclaimer

Aug 14 2006 08:07:58



Search for

Display Show

About Entrez

Text Version

All: 405 Review: 30

Items 1 - 20 of 405

Page of 21 Next

Entrez PubMed

Overview

Help | FAQ

Tutorials

New/Noteworthy E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

Special Queries

LinkOut

My NCBI

Related Resources

Order Documents

NLM Mobile

NLM Catalog

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

- ☐ 1: [Vaz-Santiago J, Lule J, Rohrlisch P, Jacquier C, Gibert N, Le Roy E, Betbeder D, Davignon JL, Davrinche C.](#) Related Articles, Links



Ex vivo stimulation and expansion of both CD4(+) and CD8(+) T cells from peripheral blood mononuclear cells of human cytomegalovirus-seropositive blood donors by using a soluble recombinant chimeric protein, IE1-pp65.

J Virol. 2001 Sep;75(17):7840-7.

PMID: 11483727 [PubMed - indexed for MEDLINE]

- ☐ 2: [Rohrlisch PS, Cardinaud S, Lule J, Montero-Julian FA, Prodhomme V, Firat H, Davignon JL, Perret E, Monseaux S, Necker A, Michelson S, Lemonnier FA, Charneau P, Davrinche C.](#) Related Articles, Links



Use of a lentiviral vector encoding a HCMV-chimeric IE1-pp65 protein for epitope identification in HLA-Transgenic mice and for ex vivo stimulation and expansion of CD8(+) cytotoxic T cells from human peripheral blood cells.

Hum Immunol. 2004 May;65(5):514-22.

PMID: 15172452 [PubMed - indexed for MEDLINE]

- ☐ 3: [Vaz-Santiago J, Lule J, Rohrlisch P, Kravtsoff R, Le Roy E, Davignon JL, Betbeder D, Davrinche C.](#) Related Articles, Links



IE1-pp65 recombinant protein from human CMV combined with a nanoparticulate carrier, SMBV, as a potential source for the development of anti-human CMV adoptive immunotherapy.

Cytotherapy. 2002;4(1):11-9.

PMID: 11953037 [PubMed - indexed for MEDLINE]

- ☐ 4: [Gibson L, Piccinini G, Lilleri D, Revello MG, Wang Z, Markel S, Diamond DJ, Luzuriaga K.](#) Related Articles, Links



Human cytomegalovirus proteins pp65 and immediate early protein 1 are common targets for CD8+ T cell responses in children with congenital or postnatal human cytomegalovirus infection.

J Immunol. 2004 Feb 15;172(4):2256-64.

PMID: 14764694 [PubMed - indexed for MEDLINE]

- ☐ 5: [Wills MR, Carmichael AJ, Mynard K, Jin X, Weekes MP, Plachter B, Sissons JG.](#) Related Articles, Links



The human cytotoxic T-lymphocyte (CTL) response to cytomegalovirus is dominated by structural protein pp65: frequency, specificity, and T-cell receptor usage of pp65-specific CTL.

- J Virol. 1996 Nov;70(11):7569-79.
PMID: 8892876 [PubMed - indexed for MEDLINE]
- ☐ **6:** Foster AE, Bradstock KF, Sili U, Marangolo M, Rooney CM, Gottlieb DJ. Related Articles, Links
A comparison of gene transfer and antigen-loaded dendritic cells for the generation of CD4+ and CD8+ cytomegalovirus-specific T cells in HLA-A2+ and HLA-A2- donors.
Biol Blood Marrow Transplant. 2004 Nov;10(11):761-71.
PMID: 15505607 [PubMed - indexed for MEDLINE]
- ☐ **7:** Retiere C, Prod'homme V, Imbert-Marcille BM, Bonneville M, Vie H, Hallet MM. Related Articles, Links
Generation of cytomegalovirus-specific human T-lymphocyte clones by using autologous B-lymphoblastoid cells with stable expression of pp65 or IE1 proteins: a tool to study the fine specificity of the antiviral response.
J Virol. 2000 May;74(9):3948-52.
PMID: 10756006 [PubMed - indexed for MEDLINE]
- ☐ **8:** Provenzano M, Lim JB, Mocellin S, Monsurro V, Bettinotti M, Marincola FM, Stroncek DF. Related Articles, Links
The matrix protein pp65(341-350): a peptide that induces ex vivo stimulation and in vitro expansion of CMV-specific CD8+ T cells in subjects bearing either HLA-A*2402 or A*0101 allele.
Transfusion. 2003 Nov;43(11):1567-74.
PMID: 14617317 [PubMed - indexed for MEDLINE]
- ☐ **9:** Gyulai Z, Endresz V, Burian K, Pincus S, Toldy J, Cox WI, Meric C, Plotkin S, Gonczol E, Berencsi K. Related Articles, Links
Cytotoxic T lymphocyte (CTL) responses to human cytomegalovirus pp65, IE1-Exon4, gB, pp150, and pp28 in healthy individuals: reevaluation of prevalence of IE1-specific CTLs.
J Infect Dis. 2000 May;181(5):1537-46. Epub 2000 May 15.
PMID: 10823751 [PubMed - indexed for MEDLINE]
- ☐ **10:** Lacey SF, Gallez-Hawkins G, Crooks M, Martinez J, Senitzer D, Forman SJ, Spielberger R, Zaia JA, Diamond DJ. Related Articles, Links
Characterization of cytotoxic function of CMV-pp65-specific CD8+ T-lymphocytes identified by HLA tetramers in recipients and donors of stem-cell transplants.
Transplantation. 2002 Sep 15;74(5):722-32.
PMID: 12352893 [PubMed - indexed for MEDLINE]
- ☐ **11:** Weekes MP, Wills MR, Sissons JG, Carmichael AJ. Related Articles, Links
Long-term stable expanded human CD4+ T cell clones specific for human cytomegalovirus are distributed in both CD45RA^{high} and CD45RO^{high} populations.
J Immunol. 2004 Nov 1;173(9):5843-51.
PMID: 15494538 [PubMed - indexed for MEDLINE]
- ☐ **12:** Hebart H, Deginik S, Stevanovic S, Grigoleit U, Dobler A, Baur M, Rauser G, Sinzger C, Jahn G, Loeffler J, Kanz L, Rammensee HG, Einsele H. Related Articles, Links
Sensitive detection of human cytomegalovirus peptide-specific cytotoxic T-lymphocyte responses by interferon-gamma-enzyme-linked immunospot assay and flow cytometry in healthy individuals and in

patients after allogeneic stem cell transplantation.
Blood. 2002 May 15;99(10):3830-7.
PMID: 11986243 [PubMed - indexed for MEDLINE]

- ☐ **13:** [Frankenberg N, Pepperl-Klindworth S, Meyer RG, Plachter B.](#) Related Articles, Links



Identification of a conserved HLA-A2-restricted decapeptide from the IE1 protein (pUL123) of human cytomegalovirus.
Virology. 2002 Apr 10;295(2):208-16.
PMID: 12033779 [PubMed - indexed for MEDLINE]

- ☐ **14:** [Sacre K, Carcelain G, Cassoux N, Fillet AM, Costagliola D, Vittecoq D, Salmon D, Amoura Z, Katlama C, Autran B.](#) Related Articles, Links



Repertoire, diversity, and differentiation of specific CD8 T cells are associated with immune protection against human cytomegalovirus disease.
J Exp Med. 2005 Jun 20;201(12):1999-2010.
PMID: 15967826 [PubMed - indexed for MEDLINE]

- ☐ **15:** [Kern F, Faulhaber N, Frommel C, Khatamzas E, Prosch S, Schonemann C, Kretzschmar I, Volkmer-Engert R, Volk HD, Reinke P.](#) Related Articles, Links



Analysis of CD8 T cell reactivity to cytomegalovirus using protein-spanning pools of overlapping pentadecapeptides.
Eur J Immunol. 2000 Jun;30(6):1676-82.
PMID: 10898504 [PubMed - indexed for MEDLINE]

- ☐ **16:** [Hebart H, Rauser G, Stevanovic S, Haenle C, Nussbaum AK, Meisner C, Bissinger AL, Tenzer S, Jahn G, Loeffler J, Rammensee HG, Schild H, Einsele H.](#) Related Articles, Links



A CTL epitope from human cytomegalovirus IE1 defined by combining prediction of HLA binding and proteasomal processing is the target of dominant immune responses in patients after allogeneic stem cell transplantation.
Exp Hematol. 2003 Oct;31(10):966-73.
PMID: 14550813 [PubMed - indexed for MEDLINE]

- ☐ **17:** [Wiesner M, Zentz C, Hammer MH, Cobbold M, Kern F, Kolb HJ, Hammerschmidt W, Zeidler R, Moosmann A.](#) Related Articles, Links



Selection of CMV-specific CD8+ and CD4+ T cells by mini-EBV-transformed B cell lines.
Eur J Immunol. 2005 Jul;35(7):2110-21.
PMID: 15971271 [PubMed - indexed for MEDLINE]

- ☐ **18:** [Bunde T, Kirchner A, Hoffmeister B, Habedank D, Hetzer R, Cherepnev G, Proesch S, Reinke P, Volk HD, Lehmkuhl H, Kern F.](#) Related Articles, Links



Protection from cytomegalovirus after transplantation is correlated with immediate early 1-specific CD8 T cells.
J Exp Med. 2005 Apr 4;201(7):1031-6. Epub 2005 Mar 28.
PMID: 15795239 [PubMed - indexed for MEDLINE]

- ☐ **19:** [Carlsson B, Hou M, Giandomenico V, Nilsson B, Totterman TH, Essand M.](#) Related Articles, Links



Simultaneous generation of cytomegalovirus-specific CD8+ and CD4+ T lymphocytes by use of dendritic cells comodified with pp65 mRNA and pp65 protein.

J Infect Dis. 2005 Dec 1;192(11):1912-20. Epub 2005 Oct 21.
PMID: 16267762 [PubMed - indexed for MEDLINE]

- ☐ **20:** [Gallez-Hawkins G, Villacres MC, Li X, Sanborn MC, Lomeli NA, Zaia JA.](#) [Related Articles, Links](#)



Use of transgenic HLA A*0201/Kb and HHD II mice to evaluate frequency of cytomegalovirus IE1-derived peptide usage in eliciting human CD8 cytokine response.

J Virol. 2003 Apr;77(7):4457-62.

PMID: 12634406 [PubMed - indexed for MEDLINE]

Items 1 - 20 of 405

Page of 21 Next

Display Show Sort by Send to

[Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)
[Department of Health & Human Services](#)
[Privacy Statement](#) | [Freedom of Information Act](#) | [Disclaimer](#)

Aug 14 2006 08:07:58